



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME XXIV.

[New generic, specific, and subspecific names are printed in **heavy-faced** type.]

- ABBOTT, Clinton G., summer bird-life of the Newark, New Jersey, Marshes, 1-11; American Coot nesting near Newark, N. J., 436.
- Acanthis*, 199.
hornemanni exilipes, 79, 403.
linaria, 79, 107, 126, 188, 404.
linaria holboellii, 79, 404.
linaria rostrata, 79, 404.
- Accipiter atricapillus*, 72, 110, 142, 182-186, 187, 214, 437.
bicolor schistochlamys, 290.
cooperi, 17, 49, 72, 260, 283, 432.
velox, 17, 49, 72, 260, 428.
- Actitis*, 198.
macularia, 16, 95, 254, 427, 432.
- Actodromas bairdi*, 94, 253, 425.
fuscollis, 140, 339, 425.
maculata, 95, 253, 425.
minutilla, 95, 253, 425.
- Echmophorus occidentalis*, 419.
- Egialeus semipalmatus*, 291.
- Egialitis collaris*, 291.
meloda, 428.
semipalmata, 95, 427.
- Aëronautes melanoleucus*, 390.
- Æthia*, 190.
- Æthya*, 190.
- Agelaius phœniceus*, 8, 11, 19, 51, 78, 284, 433.
phœniceus arctolegus, 332-336, 397.
phœniceus fortis, 334.
- Agytria decora*, 295.
- Aix, 199.
sponsa, 320, 431.
- Alauda arvensis blakistoni*, 279.
- Alauda trivialis*, 199.
- Albatross, Black-footed, 58.
Hutton's Sooty, 454.
- Alca cristatella*, 190.
psittacula, 198.
pygmæa, 198.
- Alcella**, 197.
- Alle alle, 186.
- Allen, Glover M., see Townsend, C. W.
- Allen, J. A., the Rio Grande Seed-eater, its status and technical history, 26-30.
- Allison, Andrew, notes on the spring birds of Tishomingo County, Mississippi, 12-25. See also Beyer, Geo. E.
- Alphéraky, Serguis, notice of his 'The Geese of Europe and Asia,' 229.
- Amaurospiza concolor*, 311.
- Amblycercus holosericeus*, 308.
- American Museum of Natural History, addition of important bird groups in, 368.
- American Ornithologists' Union, Twenty-fourth Congress of, 89-94; Committee on revision of Code of Nomenclature, 119; Committee on Nomenclature and Classification of North American Birds, 119, 367; Twenty-fifth Congress of, 466.
- American Ornithology (magazine), discontinuance of, 239.
- Amizilis cinnamomea*, *cinnamomea*, 295.
tzacatl dubusi, 295.

- Ammodramus*, 193.
 leconteii, 80.
 maritimus macgillivrayi, 102.
 nelsoni, 80.
Ammospiza, 193.
Ampelis, 362.
 cedrorum, 22, 51, 82, 285, 362.
 garrulus, 82, 107, 128, 223.
Anas boschas, 248, 283, 317, 382, 421.
 fulvigula, 318.
 fusca, 198.
 galericulata, 199.
 marila, 191.
 nigra, 198.
 obscura, 318, 382.
 obscura rubripes, 138.
 prima, 191.
 querquedula, 191.
Anderson, Rudolph M., notice of his 'The Birds of Iowa,' 458.
Anhinga, 316.
Anhinga anhinga, 316.
Anous stolidus, 315.
Anser albifrons gambeli, 321.
Anthus, 199.
 antarcticus, 115.
 pensilvanicus, 85.
Antrostomus, 196.
 carolinensis, 18.
 vociferus, 18, 76.
Aphantochroa cuvieri, 295.
Aquila chrysaëtos, 73, 232, 264, 429.
Ara macao, 292.
Aramides albiventris, 359.
 albiventris mexicanus, 359.
 albiventris plumbeicollis, 359.
 axillaris, 359.
 cajanea, 291, 359.
Aramus giganteus, 95.
Archibuteo, 195.
 ferrugineus, 213, 264, 429.
 lagopus sancti-johannis, 73, 263.
Ardea cærulea, 139.
 egretta, 212.
 Exotica Aurita, 448.
 herodias, 16, 251, 423, 431.
 minuta, 192.
 nycticorax, 195.
 stellaris, 192, 195.
Ardetta, 192.
 exilis, 2, 7, 11.
 neoxena, 338.
Arenaria morinella, 141.
Arnow, I. F., the American Cross-bill in Camden Co., Ga., 439;
 large set of Brown-headed Nut-hatch's eggs, 447.
Arquatella maritima, 435.
Arremon aurantirostris, 310.
Arremonops conirostris richmondi, 310.
 superciliosus superciliosus, 310.
Asarcia variabilis, 291.
Asio accipitrinus, 74, 97, 268, 438, 439.
 wilsonianus, 74, 267.
Astragalinus tristis, 20, 51, 80, 284, 404, 433.
 tristis pallidus, 404.
Asturina nitida, 288, 290.
Athene noctua, 192.
Atthis caliope, 312.
Attila citreopygia citreopygia, 303.
 citreopygia luteola, 303.
Audubon, John James, letters of, to Spencer F. Baird, 53-70; notes on the ornithological works of, 226; his 'Ornithological Biography,' 349.
Audubon Societies, National Association of, second annual meeting, 120.
Auk, Little, 186.
Australian Ornithologists' Union, sixth annual session of, 240.
Automolus ercertus, 299.
 pallidigularis, 287.
 virgatus, 299.
Avis Marylandica Guttura Luteo, 448.

- Avocet, American, 253, 413, 414, 415, 416, 424.
- Aythya, 190.
affinis, 9, 49, 158, 249, 320, 422.
americana, 158, 249, 320, 422.
collaris, 139, 320.
marila, 320, 422.
vallisnaria, 139, 158, 320, 422.
- BÆOLOPHUS bicolor, 25, 285, 435.
- Bailey, H. H., Mortality among Kingfishers, 439.
- Baird, Spencer F., letters of, to John James Audubon, 53-70.
- Baldpate, 248, 318, 386, 414, 417, 421.
- Baldwin, Roger N., a Woodcock nesting in St. Louis, Mo., 339.
- Bangs, Outram, on a collection of birds from western Costa Rica, 287-312; notice of his review of the Wood Rails (genus *Aramus*) occurring north of Panama, 359; notice of his 'Notes on Birds from Costa Rica and Chiriqui,' 453. See also Thayer, John E.
- Bartramia longicauda, 254, 427.
- Basileuterus rufifrons delattrei, 306.
semicervinus veraguensis, 306.
veraguensis, 287.
- Bec-scie, 317.
- Bec-scie de mer, 317.
- Beebe, C. William, notes on the early life of Loon Chicks, 34-41; notice of his 'The Bird, Its Form and Function,' 112; notice of his 'Owls of the Nearctic Region,' 362.
- Bent, A. C., the Marbled Godwit on its breeding grounds, 160-167; Whistling Swan (*Olor columbianus*) in Massachusetts, 212; the American Rough-legged Hawk breeding in North Dakota, 213; summer birds of southwestern Saskatchewan, 407-430.
- Berlepsch, Hans Graf von, notice of 'Descriptions of New Species and Subspecies of Neotropical Birds,' 359; notice of his 'Studien über Tyranniden,' 360; notice of his 'On the Genus *Elania* Sundev.' 360.
- Berlepsch, Hans Graf von, and Jean Stolzmann, notice of their 'Rapport sur les nouvelles Collections ornithologiques faites au Pérou par M. Jean Kalinowski,' 361.
- Beyer, Geo. E., Andrew Allison, and Henry H. Kopman, list of birds of Louisiana, Part III, 314-321.
- Bigelow, Henry B., on hybrids between the Mallard (*Anas boschas*) and certain other Ducks, 382-388.
- Bird, Man-o'-War, 317.
- Bittern, American, 7, 11, 49, 251, 414, 416, 423.
Cory's, 338.
Least, 2, 7, 11.
- Blackbird, Brewer's, 88, 400, 412.
Red-winged, 8, 11, 19, 51, 78, 172, 174, 180, 284, 332-336, 397, 416, 433.
Rusty, 51, 123, 400.
Yellow-headed, 78, 100, 397, 414, 416.
- Blackwelder, Eliot, notice of his Report on Birds observed in China, 453.
- Blake, Francis G., the nesting of *Stelgidopteryx serripennis* in Norwich, Vt., 103; a New Hampshire record for *Stelgidopteryx serripennis*, 104.
- Blake, Francis G. and Maurice C., Baird's Sandpiper at Newfound Lake, Hebron, N. H., 94.
- Blake, Maurice C., notes from western New York, 224. See also Blake, Francis G.

- Blandford, William Thomas, biographical notice of, 118.
- Blatchley, W. S., the Brown Pelican in Indiana, 337.
- Bluebird, 25, 52, 87, 173, 175, 178, 179, 285, 435.
Mountain, 245.
- Bobolink, 19, 78, 178.
- Bob-white, 16, 58, 71, 174, 283, 432.
- Bombycilla, 362.
- Bonasa, 198.
umbellus togata, 71.
- Booby, 316.
- Botaurus, 195.
lentiginosus, 7, 11, 49, 251, 423.
- Braislin, William C., notes concerning certain birds of Long Island, New York, 186-189; a correction: concerning the occurrence of *Numenius borealis* on Long Island, 341.
- Brancheur, 320.
- Branta bernicla, 321.
canadensis, 49, 250, 283, 321, 423.
canadensis hutchinsii, 251, 321.
- Brant, 321.
- Brewster, William, concerning certain supposed instances of the occurrence of the Cinnamon Teal in Florida and South Carolina, 154-157; notes on the Black Rail of California, 205-210; aggressive Screech Owls, 215; breeding of the Rough-winged Swallow in Berkshire County, Mass., 221.
- Brimley, H. H., White-winged Crossbill at Raleigh, N. C., 220.
- British Ornithologists' Club, notice of report of a Committee of, on the Immigration of Summer Residents in the Spring of 1906, 357.
- Brock, Henry H., recent occurrence of the European Teal and the Marbled Godwit near Portland, Maine, 94.
- Brooks, Allan, a hybrid Grouse, Richardson's + Sharp-tail, 167-169.
- Brooks, Winthrop S., the Stilt Sandpiper in Massachusetts, 437.
- Brotogerys jugularis, 292.
- Brown, Frank A., a Florida Gallinule on the coast of Massachusetts, 97.
- Brown, Nathan Clifford, note on the Clapper Rail in Maine, 95; the Raven near Portland, Maine, 100;
- Brownson, W. H., Connecticut Warbler in Maine, 105.
- Buarremon assimilis, 310.
costaricensis, 288, 310.
- Bubo virginianus, 50, 74.
virginianus pallescens, 268.
virginianus saturatus, 75.
virginianus subarcticus, 75.
- Bucco dysoni, 293.
- Buffelhead, 321.
- Buller, Walter Lawry, biographical notice of, 119.
- Bunting, Indigo, 21, 81, 173, 174, 176, 178, 181, 323, 431, 433.
Lark, 409, 410.
Lazuli, 245.
Painted, 173, 174, 180.
Slate-colored, 279.
Yellow-breasted, 279.
- Buteo borealis, 17, 72, 283, 429, 432.
borealis calurus, 72, 262.
borealis harlani, 262.
lineatus, 72, 432.
swainsonii, 72, 262, 429.
platypterus, 17, 72.
- Butorides virescens, 8, 11, 16, 432.
virescens maculata, 289.
- Buzzard, Turkey, 174.
- CASICUS microrhynchus, 308.
- Calcarius lapponicus, 80, 126, 223, 370, 405.
ornatus, 405.

- Calcarius pictus*, 126.
Calidris, 195.
 arenaria, 426.
 California Academy of Science's Expedition to Galapagos Archipelago, return of, 240.
Calliope calliope, 278.
Callipepla squamata, 344.
Calospiza guttata chrysophrys, 308.
 gyroloides, 308.
 larvata fanny, 308.
Calypte anna, 313.
 costæ, 313.
 Cameron, E. S., the birds of Custer and Dawson Counties, Montana, 241-270, 389-406.
Campophilus guatemalensis buxans, 293.
Camptolaimus, 191.
Camptostoma pusilla flaviventre, 301.
Canachites canadensis canace, 87.
Canard cheval, 320.
 français, 318.
 gris, 319.
 noir, 320.
Caprimulgus carolinensis, 196.
Capsiempis flaveola, 287.
Cardinal, 21, 81, 128, 146, 170, 171, 172, 173, 174, 285, 431, 433.
Cardinalis cardinalis, 21, 81, 128, 146, 285, 433.
Carpodacus, 199.
 erythrinus grebnitzkii, 279.
 mexicanus, 107.
 mexicanus rhodocolpus, 107.
 purpureus, 19, 79, 124, 144, 284.
Carduelis, 199.
 carduelis, 79.
 Carpenter, F. W., telescope observations of migrating birds, 107.
Casmorinchos, 451.
Cassinia, a Bird Annual, see Delaware Valley Orn. Club.
Catbird, 14, 24, 85, 175, 176, 178, 181, 412, 435.
Catharista urubu, 17.
Cathartes, 198.
 aura, 17, 72, 259, 283, 428, 432.
Catharus griseiceps, 288, 304.
 melpomone costaricensis, 304.
Catoptrophorus semipalmatus, 288, 291.
Cerchneis sparveria, 290.
Cercomacra tyrannina crepera, 296.
Centrocercus phasianus, 258.
 urophasianus, 428.
Centurus carolinus, 18, 76, 284, 433.
 tricolor, 286.
Ceophloeus, 197.
 lineatus, 293.
 pileatus, 18, 50, 270.
 pileatus abieticola, 76, 432.
 scapularis, 293.
Certhia familiaris americana, 52, 86, 225, 285, 435.
Ceryle alcyon, 17, 50, 75, 269, 432.
 amazona, 294.
 americana septentrionalis, 294.
 torquata torquata, 294.
Chæmepella, 192.
 minuta, 288, 392.
 rufipennis rufipennis, 392.
Chætura pelagica, 18, 50, 76, 433.
Chamaethlypis caninucha, 306.
 Chapin, James, capture of Lawrence's Warbler on Staten Island, N. Y., 343.
 Chapman, Frank M., the eastern forms of *Geothlypis trichas*, 30-34; notice of his 'The Warblers of North America,' 227-229.
Charadrius dominicus, 141, 223, 255.
Charitonetta albeola, 250, 321, 422.
Chasmorhynchus, 451.
 tricarunculatus, 303.
 Chat, Yellow-breasted, 24, 88, 173, 174, 329, 331, 434.
Chaulelasmus streperus, 139, 248, 318, 421.
Chen caerulescens, 321.
 hyperborea, 139, 250, 321.

- Chen hyperborea nivea, 321.
 rossii, 211, 250.
 Chewink, 189.
 Chickadee, Black-capped, 52, 86.
 Carolina, 25, 170, 172, 174, 435.
 Hudsonian, 86, 107, 128.
 Long-tailed, 243, 245.
 Chiroxiphia linearis, 303.
 Chlorocrysa fulgentissima, 361.
 hedwigæ, 361.
 Chlorophanes spiza exsul, 306.
 Chlorostilbon assimilis, 295.
 Chondestes grammacus, 20, 80.
 Chordeiles virginianus, 18.
 virginianus henryi, 389.
 Chrysocantor æstiva æstiva, 306.
 Chuck-wills-widow, 14, 18, 58, 179.
 Cinclus ardesiacus, 105.
 mexicanus, 105.
 Circus hudsonius, 72, 259, 428.
 Cistothorus palustris, 52.
 stellaris, 85.
 Clark, Austin H., characteristic
 Kamchatkan birds, 278-280; no-
 tice of his 'Eighteen new species
 and one new Genus of Birds from
 Eastern Asia and the Aleutian
 Islands,' 453.
 Clarke, Hubert Lyman, notice of
 his 'The Birds of Amherst and
 Vicinity,' 236.
 Clarke, Wm. Eagle, notice of his
 'On the Birds of the Weddell
 and adjacent Antarctic Seas,' 454.
 Clais guimeti, 296.
 Clangula, 191.
 claugula americana, 249, 320.
 Claravis pretiosa pretiosa, 292.
 Coccothraustes vespertinus, 107.
 vespertinus montanus, 401.
 Coccyzus americanus, 17, 75, 432.
 erythrophthalmus, 75, 269.
 minor minor, 292.
 Cœligena, 196.
 Cœreba mexicana, 308.
 Colaptes auratus, 18, 50, 270.
 auratus luteus, 76, 284,
 433.
 ayresii, 66.
 cafer collaris, 270.
 hybridus, 66.
 Cole, Leon J., notice of his 'Verte-
 brata from Yucatan,' 237
 Colibri delphinæ, 296.
 Colinus virginianus, 17, 50, 71, 76,
 283, 432.
 Columba carunculata, 192.
 nigrirostris, 292.
 passerina, 192.
 rufina, 291.
 speciosa, 291.
 Columbbigallina, 192.
 Colymbus, 190, 199.
 arcticus, 199.
 auritus, 314, 377, 419.
 cristatus, 190.
 holboëllii, 419.
 nigricollis ruficollis, 247.
 nigricollis californicus, 419.
 ruficollis, 190.
 Compsothlypis americana ramelinæ,
 22, 329, 434.
 americana usneæ, 51, 83.
 Contopus, 192, 451.
 richardsonii, 392.
 virens, 19, 50, 433.
 Conuropsis, 198.
 Conurus, 198.
 carolinensis, 198.
 guianensis, 198.
 Cooke, Wells W., notice of his 'Dis-
 tribution and Migration of Ducks,
 Geese, and Swans,' 232; many
 eyes are better than one pair, 346-
 348.
 Coot, American, 2, 8, 11, 16, 252,
 283, 414, 416, 424, 436.
 Cormorant, Double-crested, 137,
 247, 316, 415, 420.
 Florida, 316.
 Mexican, 317.
 Coropipo leucorrhœa altera, 303.

- Corvus americanus*, 393.
brachyrhynchos, 19, 51, 78, 284, 433.
corax kamtschaticus, 280.
corax principalis, 50, 76, 100.
corax sinuatus, 393.
corone orientalis, 280.
cryptoleucus, 393.
Coturniculus, 193.
savannarum passerinus, 80, 145, 433.
Cowbird, 173, 174, 396.
Crane, Little Brown, 251, 423.
Sandhill, 251, 424.
Whooping, 58, 88.
Crax panamensis, 290.
Creeper, Brown, 52, 86, 109, 181, 225, 285, 435.
Crossbill, American, 51, 79, 107, 125, 220, 243, 402, 413, 439.
Bendire, 271, 278, 440.
Mexican, 101.
White-winged, 79, 101, 107, 125, 145, 220, 349, 442.
Crow, American, 19, 51, 78, 174, 284, 393, 433.
Fish, 174.
Kamchatkan Carrion, 280.
Crymophilus, 196.
Cryptoglaux acadica, 74.
tengmalmi richardsoni, 74, 111.
Crypturus soui modestus, 290.
Cuckoo, Black-billed, 75, 246, 269.
Eastern, 279.
Yellow-billed, 17, 75, 170, 172, 173, 174, 432.
Cuculus canorus telephonus, 279.
Curlew, Hudsonian, 341.
Long-billed, 409, 415, 427.
Cyanecula, 193.
Cyanerpes cyaneus, 306.
lucidus, 307.
lucidus isthmicus, 288, 306.
Cyanocephalus cyanocephalus, 394.
Cyanocitta cristata, 19, 50, 77, 284, 433.
Cyanocompsa concreta cyanescens, 311.
Cyanolæmus, 196.
Cyanospiza, 199.
cyanea, 21, 81, 323, 433.
Cyanosylvia, 193.
Cyclorhynchus, 197.
Cynanthus, 192.
latirostris, 192.
DACNIS cayana callaina, 308.
venusta, 308.
Dafila acuta, 249, 282, 319, 384, 422.
Daggett, Frank S., the Whistling Swan in northeastern Illinois, 337; Petivers' *Gazophylacium*, 448.
Dame, Alfred M., a new White-throat song, 102.
Daption capensis, 454.
Davenport, Mrs. Elizabeth B., notice of her 'Birds of Bennington and Windham Counties, Vermont,' 456.
Deane, Ruthven, unpublished letters of John James Audubon and Spencer F. Baird, 53-70; Audubon's *Ornithological Biography*, 111; unusual abundance of the American Goshawk (*Accipiter atricapillus*), 182-186; Great Gray Owl (*Scotiaptex nebulosa*), 215; Great Gray Owl (*Scotiaptex nebulosa*) in Rhode Island, 215; the Snowy Owl (*Nyctea nyctea*) not generally abundant in the winter of 1906-1907, 217; American Hawk Owl (*Surnia ulula caparoch*) in Rhode Island, 219.
Delaware Valley Ornithological Club, notice of 'Proceedings' for 1906, 237.
Dendragapus canadensis, 49.
obscurus richardsonii, 167.
Dendrobates cecilæ, 287.
Dendrocichla anabatina anabatina, 299.

- Dendrocolaptes sancti-thomæ*, 300.
sancti-thomæ hesperius, 288, 298.
Dendrocops sancti-thomæ, 300.
Dendrocygna fulva, 321.
Dendroica æstiva, 23, 52, 83, 329, 434.
blackburniæ, 23, 52, 84, 330.
cærulescens, 23, 52, 83, 330.
castanea, 23, 84, 330.
cerulea, 84, 225, 329, 361, 434, 446.
coronata, 23, 83, 285, 330.
discolor, 24, 84.
kirtlandi, 84.
maculosa, 23, 52, 84, 330.
palmarum, 23, 84, 225, 330.
pensylvanica, 23, 84, 306, 329.
rara, 361.
striata, 23, 84, 146, 330, 380.
tigrina, 22, 52, 83, 330, 446.
vigorsii, 23, 52, 84, 225, 349.
virens, 23, 52, 84, 330.
Dendroornis lachrymosa eximia, 299.
nana costaricensis, 299.
Dickcissel, 173, 174, 180, 433.
 Dionne, C. E., notice of his 'Les Oiseaux de la Province de Québec,' 236.
Dolichonyx oryzivorus, 19, 78.
Dos-gris, 320.
de mer, 320.
 Douglass, Thomas Henry, biographical notice of, 366.
 Dove, Mourning, 17, 72, 174, 189, 242, 259, 283, 428, 432.
 Dovekie, 186.
 Dowitcher, Long-billed, 425.
Dromococcyx phasianellus, 292.
Dryobates borealis, 18, 159, 349.
nuttalli, 68.
pubescens, 18, 50.
pubescens medianus, 75, 284, 432.
pubescens oreæcus, 270.
villosus, 50, 75, 270, 284, 432.
Dryobates villosus audubonii, 17.
Dryotomus, 197.
 Duck, American Golden-eye, 249.
American Scaup, 320, 417.
Black, 318, 320, 382.
Bufflehead, 250, 321, 422.
Canvas-back, 139, 158, 320, 414, 416, 422.
Florida, 318.
French, 318.
Fulvous Tree, 321.
Lesser Scaup, 9, 49, 158, 249, 320, 417, 422.
Redhead, 158, 249, 320.
Red-legged, 138.
Ring-necked, 139, 320, 417.
Ruddy, 158, 249, 321, 414, 416, 423.
Scaup, 422.
Wood, 320, 431.
Dumetella, 193.
felivox, 193.
Dysporus, 194.
 EAGLE, Bald, 17, 49, 174, 232, 265, 283.
Golden, 73, 232, 243, 244, 264, 429.
Gray Sea, 232.
Kamchatkan Sea, 280.
Northern Bald, 73, 429.
Ectopistes migratorius, 71.
Egretta candidissima, 436.
Eider, American, 250.
 Eifrig, G., Scarlet Tanager (*Piranga erythromelas*) at Ottawa, Canada, 103; early appearance of certain northern species at Ottawa, Canada, 110; American Goshawk (*Accipiter atricapillus*) versus Man and Barred Owl, 437.
Elænia, 360.
Elainea albivertex, 302.
chiriquensis, 301.
flavogastra subpagana, 301.
sordidata, 301.

- Elanoides forficatus*, 17, 87.
 furcatus, 290.
Elvira chionura, 296.
Emberiza variabilis, 453.
Emberizoides macrourus hypochondriacus, 309.
 sphenura, 310.
 sphenura hypochondriacus, 288, 309.
Embody, G. C., Bachman's Warbler breeding in Logan County, Kentucky, 41, 42.
Empidonax canescens, 99.
 flaviventris, 19, 50, 77, 144, 302, 328.
 griseus, 99.
 hammondi, 392.
 minimus, 19, 50, 77, 392.
 pusillus traillii, 361.
 sp., 433.
 traillii, 19, 392.
 traillii alnorum, 77, 302, 349.
 traillii traillii, 302.
 virescens, 19, 87, 99.
Ereunetes pusillus, 253, 426.
 occidentalis, 288, 291.
Erismatura jamaicensis, 158, 321, 423.
 rubida, 250.
Estabrook, A. H., the present status of the English Sparrow problem in America, 129-134.
Eucometis spodocephala, 309.
 spodocephala stictothorax, 288, 309.
Eumomota superciliaris australis, 294.
Euphagus carolinus, 51, 78, 123.
 cynocephalus, 88.
Euphonia crassirostris, 308.
 gracilis, 308.
 leuteicapilla, 308.
 minuta humilis, 308.
FALCO columbarius, 73, 214, 266.
 islandus, 73.
Falco lagopus, 195.
 mexicanus, 244, 265, 429.
 peregrinus anatum, 73, 244, 266.
 richardsoni, 267, 429.
 sparverius, 49, 73, 283, 429, 432.
 sparverius phalcena, 267.
Falcon, Prairie, 243, 244, 265, 429.
Faxon, Walter, additional notes on the Brewster's Warbler in the Arnold Arboretum, Jamaica Plain, Mass., 444; *Helminthophila leucobronchialis* (Brewst.) in Lexington, Mass., 444; a Mockingbird (*Mimus polyglottos*) in Lexington, Mass., in winter and summer, 446.
Felger, A. H., a card system of note-keeping, 200-205; Ross's Snow Goose in Colorado, 211; the Prothonotary Warbler in Colorado, 342.
Ferry, John F., ornithological conditions in northeastern Illinois, with notes on some winter birds, 121-129; winter bird notes from extreme southern Illinois, 281-286; further notes from extreme southern Illinois, 430-435.
Field, Herbert Haviland, the Concilium Bibliographicum as a Bureau of Ornithological Information, 117.
Finch, Pine, 80, 107.
 Purple, 19, 51, 79, 124, 144, 181, 284.
Fleming, James H., birds of Toronto, Canada. Part II, Land Birds, 71-89; notice of his 'The Disappearance of the Passenger Pigeon,' 357; notice of his 'The Unusual Migration of Brännich's Murre (*Uria lomvia*) in eastern North America,' 364.
Flicker, Golden-winged, 18, 108, 174, 270.

- Flicker, Hybrid, 411.
 Northern, 50, 76, 284, 433.
 Red-shafted, 270.
Floricola superba, 296.
Florida cærulea, 338.
Florisuga mellivora, 295.
 Flycatcher, Acadian, 87.
 Alder, 77, 181, 413.
 Crested, 18, 76, 170, 171, 174, 175, 180.
 Great-crested, 433.
 Green-crested, 19, 99, 170, 171, 174, 180.
 Hammond's, 392.
 Least, 19, 50, 77, 181, 392, 412.
 Olive-sided, 50, 77, 224.
 Traill's, 19, 349, 392.
 Wright's, 413.
 Yellow-bellied, 19, 50, 77, 144, 224, 328.
 Forbes, S. A., notice of his 'An Ornithological Cross-section of Illinois in Autumn,' 358.
 Forbush, Edward Howe, notice of his 'Useful Birds and their Protection,' 234.
Formicarius hoffmanni hoffmanni, 298.
 nigrifrons, 298.
Formicivora boucardi, 296.
Fregata, 195.
 aquila, 316, 365.
Fringilla cannabina, 199.
 carduelis, 199.
 linaria, 199.
 macroura, 309.
 rosea, 199.
 Fuertes, Louis Agassiz, the Glossy Ibis in central New York, 338.
Fulica americana, 2, 8, 11, 17, 252, 283, 424, 436.
Fuligula, 191.
 GADWALL, 138, 248, 414, 417, 421.
Galbula melanogenia, 293.
Galeoscoptes, 193, 451.
 carolinensis, 24, 85, 435.
Gallinago, 190.
 delicata, 95, 253, 425.
 media, 191.
Gallinula galeata, 1, 4-6, 9-11, 97.
Gallinule, Florida, 1, 4-6, 9-11, 97.
 Gannet, 316.
Gavia imber, 34-41, 49, 158, 314.
Gelochelidon nilotica, 137, 315.
Geothlypis agilis, 85, 105, 222, 225.
 formosa, 24.
 macgillivrayi, 344.
 philadelphia, 85, 328, 330.
 trichas, 30.
 trichas brachidactyla, 24, 33, 52, 85, 329, 434.
 trichas ignota, 30, 32.
 trichas trichas, 33.
Geranospizias niger, 290.
Glaucidium, 192.
 gnoma, 269.
Glaucionetta, 191.
Glaucis hirsuta æneus, 288, 295.
Glyphorhynchus cuneatus, 299.
Gnatcatcher, Blue-gray, 25, 86, 170, 174, 222, 226, 381, 435, 447.
 Godman, F. DuCane, see Salvin, Osbert.
 Godwit, Hudsonian, 253, 426.
 Marbled, 94, 160-167, 415, 416, 426.
 Goeldi, Emilio A., notice of his 'Album de Aves Amazonicas,' 455.
 Golden-eye, American, 320.
 Goldfinch, American, 14, 20, 51, 80, 284, 404, 433.
 European, 79.
 Western, 404.
 Goose, Blue, 321.
 Canada, 49, 58, 250, 321, 423.
 Greater Snow, 321.
 Hutchins's 58, 251, 321.
 Lesser Snow, 139, 250, 321.
 Ross's Snow, 211, 250.
 Snow, 58.

- Goose, White-fronted, 321.
Goshawk, American, 72, 110, 142,
182-186, 187, 214, 260-262,
437.
Grackle, Boat-tailed, 172, 174, 180.
Bronzed, 19, 51, 78, 401, 433.
Florida, 170, 174, 180.
Purple, 180.
Rusty, 78, 109.
Grallaria lizanoi, 298.
Granger, Helen, the breeding of
Brewster's Warbler near Boston,
Mass., 343.
Grebe, American Eared, 247, 414,
416, 419.
Holbøll's, 419.
Horned, 314, 377, 416, 419.
Pied-billed, 3, 11, 247, 314.
Western, 414, 416, 419.
Grosbeak, Evening, 78, 124, 144.
Pine, 79, 107, 111, 124.
Rose-breasted, 21, 81, 176, 177,
221, 442.
Western Evening, 401.
Grouse, Canada, 49.
Canadian Ruffed, 71.
Canadian Spruce, 87.
Hybrid, 167-169.
Prairie Sharp-tailed, 256-258,
410, 428.
Richardson's, 167-169.
Sage, 243, 258, 428.
Sharp-tailed, 167-169, 243.
Grus americana, 88.
canadensis, 251, 423.
mexicana, 251, 423.
Guara alba, 159.
Gull, American Herring, 247.
Black-backed, 280.
Bonaparte's, 247, 313.
California, 413, 415, 419.
Franklin's, 313, 413, 416, 419.
Glaucus, 94.
Herring, 49, 233, 313.
Iceland, 223.
Laughing, 40, 313.
Gull, Ring-billed, 136, 247, 313, 413,
415, 419.
Sabine's, 247.
Slaty-backed, 280.
Gymnocichla nudiceps, 287.
nudiceps *erratilis*, 288, 297.
Gymnopathys bicolor olivascens,
296.
Gypagrus, 198.
Gyr Falcon, White, 73.
HALIÆTUS albicilla, 232.
leucocephalus, 17, 49, 232, 265,
283.
leucocephalus alascanus, 73,
429, 429.
Halobæna cærulea, 454.
Harelda, 191.
hyemalis, 321.
Harlow, Richard C., unusual occur-
rence of the Short-eared Owl in
Pennsylvania, 438.
Hartert, Ernest, notice of his 'Die
Vögel der Paläarktischen Fauna,'
Heft IV, 362.
Harvie-Brown, J. A., notice of his
'A Fauna of the Tay Basin,' 115.
Hawk, American Rough-legged, 73,
213, 263.
American Sparrow, 14, 49, 73,
430.
Broad-winged, 17, 73, 179.
Cooper's, 17, 49, 72, 180, 260,
283, 432.
Desert Sparrow, 267.
Duck, 73, 224, 243, 244, 266.
Florida Red-shouldered, 174.
Harlan's, 262.
Harris's, 58.
Marsh, 72, 259, 414, 428.
Pigeon, 73, 214, 266.
Red-shouldered, 14, 72, 432.
Red-tailed, 17, 72, 283, 429,
432.
Sharp-shinned, 17, 49, 72, 174,
180, 260, 428.

- Hawk, Sparrow, 283, 411, 432.
 Swainson's, 72, 262, 411, 429.
 Western Red-tail, 72, 262.
- Hazard, R. G., the Great Carolina Wren in southern Rhode Island, 446.
- Heleodytes capistratus capistratus, 304.
- Helinaia swainsonii, 45.
- Heliothrix barroti, 296.
- Hellmayr, C. E., notice of his 'Revision der Spix'schen Typen brasilianische Vögel,' 113; notice of his 'Critical Notes on the Types of Little-known Species of Neotropical Birds,' 231; notice of his 'Notes on a second collection of Birds from the District of Pará, Brazil,' 231.
- Helminthophila, 193.
 bachmani, 41-48, 159, 348, 378.
 celata, 83, 328.
 celata orestera, 379.
 chrysoptera, 88, 224, 329, 444.
 lawrencei, 342, 343.
 leucobronchialis, 343, 443, 444.
 peregrina, 83, 224, 328, 348.
 pinus, 22, 224, 328, 443, 445.
 ruficapilla, 51.
 rubricapilla, 83, 329.
 virginiae, 344.
- Helmitherus vermivorus, 22.
- Helodromas solitarius, 95, 254, 426, 432.
 solitarius cinnamomeus, 426.
- Hen, Prairie, 87.
- Henderson, Junius, nesting of Crossbills in Colorado, 440.
- Henicorhina pittieri, 287.
 prostheleuca pittieri, 305.
- Henninger, W. F., two birds new for Ohio (*Oceanites oceanicus* and *Merula migratoria achrustera*), 447.
- Herman, Otto, notice of his 'The International Convention for the Protection of Birds,' etc., 456.
- Heron, Black-crowned Night, 140, 432.
 Great Blue, 16, 49, 58, 251, 423, 431.
 Great White, 58.
 Green, 8, 16, 432.
 Little Blue, 139, 338.
 Snowy, 436.
 Yellow-crowned, 187, 377.
- Hesperiphona vespertina, 78, 124, 144.
- Heteractitis incanus, 340.
- Higbee, H. G., the Blue-gray Gnatcatcher in Massachusetts, 222; an intergrade between *Helminthophila pinus* and *H. leucobronchialis* captured in Hyde Park, Mass., 443.
- Himantopus mexicanus, 344.
- Hirundo erythrogaster, 21, 51, 82.
- Hodoiporus, 194.
- Horizopus, 192.
- Horizopus richardsonii sordidus, 302.
 virens, 77.
- Hortulanus, 193.
 albicollis, 193.
 erythrophthalmus, 193.
 nigricollis, 193.
- House-finch, Siberian, 279.
- Howell, Arthur H., and Henry Oldys, the Bewick Wren in the District of Columbia, with a description of its song, 149-153; another Connecticut Warbler from Maine, 222.
- Hubel, Frederick C., preliminary list of the summer birds of the Cobalt Mining Region, Nipissing District, Ontario, 48-52.
- Hummingbird, Hybrid, 312.
 Broad-tailed, 313.
 Calliope, 390.
 Ruby-throated, 18, 50, 76, 174, 180, 390, 433, 448.
- Hydrochelidon nigra surinamensis, 211, 247, 315, 420.

- Hylobrantes**, 198.
Hylocharis eliciæ, 295.
Hylocichla alicæ, 25, 86.
 alicæ bicknelli, 88.
 aonalaschkæ, 344.
 aonalaschkæ pallasii, 188.
 fuscescens, 25, 52, 86.
 fuscescens salicicola, 88.
 guttata pallasii, 25, 86, 226.
 mustelina, 25, 86, 435.
 swainsoni, 361.
 ustulata swainsonii, 25, 86.
Hylophilus viridiflavus, 287.
Hypocentor aureolus, 279.
- IACHE**, 192.
Ibis, Glossy, 338.
 Scarlet, 58.
 White, 159.
Icteria virens, 24, 88, 306, 329, 434.
Icterus bullocki, 400.
 galbula, 19, 78, 433.
 spurius, 19, 78, 308, 433.
Idioptilon, 359.
 rothschildi, 359.
International Ornithological Congress, Proceedings of the Fourth, noticed, 352-354.
International Zoological Congress, Seventh, proposed Ornithological Section of, 239; meeting of, 462-466.
Iridoprogne albilineata, 305.
 bicolor, 21, 51, 82.
Ixobrychus, 192.
- JANNEY**, Nath. E., Audubon's Ornithological Biography, 349.
Jay, Canada, 50, 77.
 Blue, 19, 50, 77, 174, 189, 284, 433.
 Piñon, 243, 245, 394.
Jourdain, Francis C. R., notice of his 'The Eggs of European Birds,' Part II, 361.
Junco hyemalis, 51, 81, 102, 284.
Junco, Pink-sided, 413.
 Slate-colored, 51, 81, 102, 109, 181, 284.
- KAMPTORHYNCHUS**, 191.
Killdeer, 255, 283, 413, 415, 416, 427, 432.
Kingbird, 18, 50, 76, 173, 174, 177, 180, 390, 412, 433.
 Arkansas, 242, 391, 412.
Kingfisher, Belted, 17, 50, 75, 174, 269, 432, 439.
Kinglet, Golden-crowned, 52, 86, 109, 110, 285.
 Ruby-crowned, 25, 86, 108.
Kite, Mississippi, 174.
 Swallow-tailed, 17, 87, 174.
Kittiwake, 337, 435.
Knaebel, Ernest, a new Colorado Record for the White-winged Crossbill (*Loxia leucoptera*), 101.
Koch, August, biographical notice of, 238.
Kopman, Henry H., aspects of bird distribution in Louisiana and Mississippi, 169-181. See also Beyer, Geo. E.
- LAGOPUS lagopus**, 71.
 rupestris chamberlaini, 453.
Lampropygia, 196.
Lanio melanopygius, 309.
Lanius borealis, 82, 128, 361.
 ludovicianus, 285, 361, 434.
 ludovicianus migrans, 82.
Lark, Horned, 77, 242, 410.
 Desert Horned, 243, 392.
 Prairie Horned, 77, 284, 452.
Larus argentatus, 49, 233, 247, 282, 314.
 atricilla, 314.
 californicus, 419.
 delawarensis, 136, 247, 282, 314, 419.
 franklinii, 314, 419.
 glaucus, 94.

- Larus leucopterus*, 223.
 philadelphia, 247.
 ridibundus, 280, 314.
 schistasagus, 280.
 Lass, Herbert Ravenal, notice of his
 'Bird Life of a City Garden,' 364.
Lathria unirufa clara, 303.
Legatus albicollis, 302.
Leptopodon cayennensis, 290.
Leptopogon pileatus, 301.
 pileatus faustus, 288, 300.
Leptotila rufinucha, 292.
 verreauxi, 292.
Lestris pomarinus, 64.
Leucosticte tephrocotis, 402.
 teprocotis littoralis, 403.
Leucosticte, Gray-crowned, 402.
 Hepburn's, 403.
Limonites minutilla, 291.
Limosa fedoa, 94, 160-167, 426.
 hæmastica, 253, 426.
Limpkin, 95.
Linaria, 199.
Linota cannabina, 88.
Lobipes, 196.
Longspur, 409.
 Lapland, 80, 127, 223, 369, 405,
 449.
 Smith's, 127.
 Chestnut-collared, 405.
 McCown's, 406.
 Lönnberg, Einar, notice of his
 'Contributions to the Fauna of
 South Georgia. I. Taxonomic
 and Biological Notes on Verte-
 brates,' 115.
Loon, 34-41, 49, 58, 158, 314.
Lophodytes cucullatus, 248, 282,
 317, 421.
Lophornis adorabilis, 296.
Loxia curvirostra bendirei, 271, 440.
 curvirostra minor, 51, 79, 107,
 125, 214, 220, 271-278, 402,
 439.
 curvirostra stricklandi, 101,
 271.
Loxia leucoptera, 79, 101, 107, 125,
 145, 220, 271, 349, 442.
 MACHETES, 195.
Macrorhamphus, 195.
 scolopaceus, 425.
Magpie, American, 89, 243, 244, 393.
 Kamchatkan, 280.
*Malacoptila panamensis panamen-
 sis*, 293.
Mallard, 58, 248, 282, 317, 382, 414,
 417, 421.
Manacus aurantiacus, 303.
Man-o'-War Bird, 317.
Mareca americana, 247, 319, 386,
 421.
Marila, 190, 191.
 nyroca, 190.
Martin, Purple, 21, 82, 174, 180, 433.
McKeehnie, F. B., notes on the
 ornithological works of John
 James Audubon, 226.
Meadowlark, 78, 178, 284, 409, 433.
 Southern, 19, 173, 174, 179.
 Western, 242, 398.
Megascops, 192.
 asio, 17.
 asio maxwelliæ, 268.
Melanerpes erythrocephalus, 18, 76,
 270, 433.
 chrysauchen, 287, 292.
 wagleri, 292.
Melanitta, 198.
Meleagris gallopavo fera, 87.
 gallopavo sylvestris, 283.
Melospiza cinerea melodia, 51, 81,
 146, 284.
 georgiana, 8, 11, 21, 81, 284.
 lincolni, 21, 81, 224, 341.
Merganser, 194.
 americanus, 247, 317, 420.
 serrator, 248, 317, 344.
Merganser, American, 247, 317, 415,
 420.
 Hooded, 248, 282, 317, 421.
 Red-breasted, 248, 317.

- Mergus, 194.
 serrator, 194.
- Merlin, Richardson's, 267, 430.
- Mershon, W. B., notice of his
 'The Passenger Pigeon,' 355-357.
- Merula, 194, 451.
 migratoria, 25, 52, 86, 285, 447.
 migratoria acrustera, 447.
- Micrastur guerilla, 289.
 interstes, 289.
 zonothorax, 290.
- Micropalama himantopus, 213, 339,
 437.
- Microtriccus semiflavus semiflavus,
 303.
- Miller, Richard F., the Black Tern
 at Philadelphia, Pa., 211; the
 Blue-gray Gnatcatcher in Phila-
 delphia County, Pa., 222; the
 Little Blue Heron in Philadelphia
 County, Pa., 338; the Snowy
 Heron in Camden Co., N. J.,
 436; nesting of the Rose-breasted
 Grosbeak in Philadelphia Co.,
 Pa., 442.
- Mimus polyglottos, 24, 88, 285, 434,
 446.
- Mniotilta varia, 22, 51, 83, 329, 434.
- Mockingbird, 14, 24, 88, 174, 178,
 285, 434, 446.
- Molothrus ater, 78, 396.
- Momotus lessoni, 294.
- Montgomery, Thos. H., Jr., notice
 of his 'The Protection of Our
 Native Birds,' 232; the English
 Sparrow in Texas, 341.
- Morus, 194.
- Motacilla regulus, 195.
 suecica, 193.
 troglodytes, 194.
- Munson, E. L., *Ardea egretta* in
 New Mexico, 212.
- Murphy, Robert C., a wounded
 Sora's long swim, 96.
- Murre, Brünnich's, 364.
- Muscicapa cayanensis, 62.
- Muscicapa flava, 62.
 texensis, 62.
 virescens, 360.
- Muscivora tyrannus, 302.
- Myadestes townsendii, 245.
- Myiarchus cinerascens, 219.
 cooperi, 220.
 crinitus, 18, 76, 433.
 lawrencei, 106.
 lawrencei bangsi, 288, 302.
 lawrencei olivascens, 106.
 lawrencei tresmariae, 106.
 nuttingi nuttingi, 302.
- Myiobius barbatus atricauda, 302.
 xanthopygius sulphureipygus,
 302.
- Myiochanes, 451.
- Myiodynastes audax nobilis, 302.
 luteiventer, 302.
- Myiopagis, 360.
 placens accola, 301.
- Myiozetetes similis superciliosus,
 302.
- Myrmelastes exsul occidentalis, 296.
- Myrmotherula menetriesii, 296.
- NANNUS, 194.
- Nash, Chauncey C., the Stilt
 Sandpiper in Massachusetts, 339.
- Nelson, E. W., *Empidonax griseus*
 Brewster vs. *Empidonax canes-*
 cens Salvin & Godman, 99; some
 corrected records, 106.
- Nettion carolinensis, 248, 319, 421.
 georgium, 115.
- Newton, Alfred, notice of his
 'Ootheca Wolleyana,' Part IV,
 354; biographical notice of, 365.
- New York Zoölogical Park, 367.
- Nichols, John Treadwell, the Ves-
 per Sparrow on Long Island,
 N. Y., in winter, 220.
- Nighthawk, 18, 50, 76, 174, 179,
 242, 389, 412.
- Noctua, 192.
 minor, 192.

- Norton, Arthur H., two Ravens (*Corvus corax principalis*) seen at Harpswell, Maine, 100; the Kittiwake (*Rissa tridactyla*) on the coast of Maine in summer, 337; Lincoln's Sparrow (*Melospiza lincolni*) at Portland, Maine, 341; the Kittiwake and Purple Sandpiper again in Maine in summer, 435.
- Numenius borealis, 341.
 hudsonicus, 341.
 longirostris, 254, 427.
- Nuthatch, Brown-headed, 25, 349, 447.
 Red-breasted, 25, 86, 147, 328, 381.
 Slender-billed, 243, 245.
 White-breasted, 25, 86, 159, 180, 285.
 White-bellied, 435.
- Nuttallornis borealis, 50, 77, 224.
- Nyctanassa violacea, 377.
- Nyctea nyctea, 75, 111, 143, 217, 269.
- Nycticorax, 195.
 nycticorax nævius, 140, 187, 432.
- Nyctidromas albigollis, 295.
- Nyroca, 190, 191.
- OBERHOLSER, Harry C., notice of his paper on Birds from German and British East Africa, 230; notice of his 'The North American Eagles and their Economic Relations,' 232; a new *Agelaius* from Canada, 332-336.
- Oceanites oceanicus, 447, 455.
- Odontophorus castigatus, 291.
- Œstrelata brevirostris, 454.
- Oidemia americana, 321.
 deglandi, 139, 321, 423.
 perspicillata, 321.
- Olbiorechilus, 194.
 hiemalis, 85.
- Old-Squaw, 321.
- Oldys, Henry, occurrence of a White-winged Crossbill at Oxen Hill, Md., in August, 442. See also Howell, Arthur H.
- Olor buccinator, 251, 321.
 columbianus, 139, 212, 321, 337, 423.
- Oncorhynchus mexicanus fraterculus, 302.
- Oncostoma cinereigulare, 300.
- Oporornis formosa, 306, 344-346, 434.
 philadelphia, 306.
- Oreomyias, 360.
- Oriole, Baltimore, 19, 78, 174, 176, 433.
 Bullock's, 400.
 Orchard, 19, 78, 170, 180, 433.
- Ornismya clemenciæ, 197.
 celigena, 196.
- Oroscoptes montanus, 344.
- Ortalis cinereiceps, 291.
 vetula maccalli, 106.
 wagleri, 106.
- Oryzoborus funereus, 311.
- Osgood, Wilfrid H., identity of *Tyrannula mexicana* Kaup, 219; probable breeding of the Wandering Tattler in the interior of Alaska, 340; '*Helminthophila lawrencei*' near the District of Columbia, 342.
- Osprey, 280.
 American, 74, 174.
- Ossifraga gigantea, 454.
- Otocoris alpestris, 77, 452.
 alpestris arenicola, 392.
 alpestris praticola, 77, 284, 452.
- Otus, 192.
 asio, 74.
 choliba thompsoni, 237.
- Oven-bird, 52, 83, 175, 176, 177, 329, 331.
- Owl, American Barn, 74, 174, 214.
 American Hawk, 75, 219.

- Owl, American Long-eared, 74, 267.
Arctic Horned, 75.
Barred, 17, 74, 284, 432, 437.
Burrowing, 243, 269, 410.
Dusky Horned, 75.
Florida Barred, 174.
Florida Screech, 174.
Great Gray, 74, 215.
Great Horned, 50, 74, 174, 411.
Hawk, 58, 110.
Long-eared, 411.
Pigmy, 269.
Richardson's, 74, 111.
Rocky Mountain Screech, 268.
Saw-whet, 74, 109, 110.
Screech, 17, 50, 215, 217.
Short-eared, 74, 97, 243, 268, 414, 417, 438, 439.
Siberian Hawk, 280.
Snowy, 58, 75, 111, 143, 217, 269.
Western Horned, 243, 268.
Oxyechus vociferus, 255, 283, 427, 432.
PACHYRHAMPHUS cinereiventris, 303.
Pachysylvia decurtata, 305.
 ochraceiceps pallidipectus, 305.
 viridiflava, 305.
Paille-en-queue, 320.
Palmer, T. S., and R. W. Williams, Jr., notice of their Summary of Game Laws for 1906, 234.
Pandion haliaëtus, 280.
 haliaëtus carolinensis, 74, 290.
Paroquet, Carolina, 454.
Partridge, Scaled, 344.
Parus atricapillus, 52, 86.
 atricapillus occidentalis, 245.
 carolinensis, 25.
 hudsonicus, 86.
Passerculus princeps, 101.
 sandwichensis savanna, 97.
 sandwichensis labradorius, 452.
Passer domesticus, 20, 52, 80, 129–134, 341, 404.
Passerella iliaca, 81, 285.
Passerherbulus, 193.
Passerina, 199.
 nivalis, 80, 127.
 sphenura, 309.
Pavoncella, 195.
Peabody, P. B., the Crossbills of Northeastern Wyoming, 271–278.
Pearson, Leonard S., a recent Blue-gray Gnatcatcher (*Poliophtila cerulea*) in Delaware Co., Pa., 447.
Pediocetes phasianellus campestris, 256–258, 428.
 phasianellus columbianus, 167.
Pelican, American White, 247, 317, 337, 414, 415, 416, 420.
 Brown, 317, 337.
Pelecanus bassanus, 194.
 erythrorhynchos, 247, 317, 420.
 fuscus, 317, 337.
Penelope cristatus, 291.
Penthestes carolinensis, 435.
 hudsonicus hudsonicus, 107, 128.
Perisoreus canadensis, 50, 77.
Petrel, Antarctic, 254.
 Blue, 254.
 Cape, 254.
 Giant, 254.
 Giant Silver, 254.
Petrochelidon lunifrons, 51, 244, 433.
Peucæa æstivalis bachmanii, 20, 349.
Pewee, Western Wood, 392, 413.
 Wood, 19, 50, 77, 174, 180, 433.
Phæonetta, 198.
Phalacrocorax atriceps, 115.
 dilophus, 137, 247, 316, 420.
 dilophus floridanus, 316.
 mexicanus, 317.
Phalænoptilus nuttallii, 389.
Phalarope, Northern, 252, 415, 424.
 Wilson's, 140, 252, 413, 415, 416, 424.
Phalaropus, 196.

- Phalaropus lobatus*, 252, 424.
Phaleris, 197.
Pheugopedius fasciato-ventris melanogaster, 304.
 hyperythrus, 304.
Philohela minor, 339.
Phlœotomus, 197.
Phœbe, 14, 18, 77, 433.
 Say's, 244, 391.
Phœbetria cornicoides, 454.
Phœnicothraupis rubica vinacea, 309.
Piaya cayana thermophila, 292.
Pica pica hudsonica, 89, 244, 393.
 pica kamtschatica, 280.
Picoides americanus, 50, 76.
 arcticus, 50, 76.
Picolaptes compressus compressus, 299.
Picumnus olivaceus flavotinctus, 293.
Picus lineatus, 197.
 nuttalli, 68.
 pileatus, 197.
Pigeon, Passenger, 71, 355-357.
Pinicola enucleator leucura, 79, 107, 111, 124.
Pintail, 282, 384, 414, 415, 417, 422.
Pionus senilis, 292.
Pipastes maculatus, 280.
Pipilo, 193.
 chlorurus, 344.
 erythrophthalmus, 21, 81, 285, 433.
 maculatus megalonyx, 344.
Pipit, American, 85, 178.
 Antarctic, 115.
 Tree, 280.
Pipra mentalis ignifera, 303.
 vetulina, 303.
Pipromorpha assimilis dyscola, 300.
Piranga erythromelas, 21, 81, 103, 433.
 rubra, 21, 82, 361.
 testacea testacea, 309.
Pitangus derbianus derbianus, 302.
Placostomus superciliaris, 300.
Planesticus, 194, 451.
 grayi casius, 304.
 tristis cnephosa, 304.
Plectrophenax, 199.
 nivalis, 107, 405.
Plover, American Golden, 255.
 Black-bellied, 427.
 Golden, 141, 223.
 Mountain, 255.
 Piping, 414, 428.
 Semipalmated, 427.
Podasocys montana, 255.
Podiceps, 190, 199.
Podilymbus podiceps, 3, 6, 11, 314.
Pogonotriccus plumbeiceps, 360.
Poliophtila cœrulea, 25, 86, 222, 226, 381, 435, 447.
 superciliaris superciliaris, 306.
Poœetes gramineus, 20, 51, 80, 220, 442.
Poor-will, 389.
Porzana carolina, 96, 252, 424.
 coturniculus, 205.
 jamaicensis, 208.
 jamaicensis coturniculus, 205-210.
 sharpei, 207.
 silonotus, 207.
Porter, Louis N., the breeding habits of *Empidonax virescens* in Connecticut, 99.
Priocella glacialisoides, 454.
Procnias, 450.
Progne chalybea chalybea, 305.
 subis, 21, 82, 433.
Protonotaria citrea, 88, 342, 434.
Psaltiriparus plumbeus cecaumenorum, 115.
Ptarmigan, Willow, 71.
Pteroglossus franzii, 293.
Puffinus borealis, 365.
Pulsatrix perspicillata, 294.
Pygocelis papua, 115.
Pygochelidon cyano-leuca, 306.
Querquedula, 191.

- Querquedula cyanoptera*, 154-157,
158, 319, 421.
discors, 248, 289, 319, 421.
- Quiscalus quiscula æneus*, 19, 51,
78, 401, 433.
purpureus, 19.
- Rail, Black, 208.
California Black, 205-210.
Clapper, 87, 95.
King, 95, 212.
Sora, 96, 252.
Virginia, 96, 252.
Yellow, 108.
- Rallus crepitans*, 87, 95.
elegans, 95, 212.
virginianus, 8, 11, 251.
- Ralph, William LeGrange, bio-
graphical notice of, 461.
- Raven, American, 393.
Kamchatkan, 280.
Northern, 50, 100.
White-necked, 393.
- Recurvirostra americana*, 253, 424.
- Redhead, 249, 416, 422.
- Redpoll, Common, 79, 107, 126, 242,
404.
Greater, 79, 404.
Hoary, 79, 403.
Holböll's, 79, 404.
Lesser, 188.
- Redstart, American, 24, 52, 77, 85,
176, 177, 178, 181, 329, 331,
434.
- Regulus, 195.
calendula, 25, 86.
satrapa, 52, 86, 285.
- Remick, John A., capture of the
Glaucous Gull (*Larus glaucus*)
in Boston Harbor, Mass., 94;
the Junco breeding at Wellfleet,
Mass., 102.
- Rhamphastos tocard, 293.
- Rhamphocænus rufiventris, 296.
- Rhamphocelus costaricensis, 309.
- Rhoads, S. N., that Cinnamon Teal
record from Florida, 435.
- Rhinogryphus, 198.
- Rhodinocinclá rosea eximeá*, 306.
- Rhynchophanes mccownii*, 406.
- Rhynchops nigra*, 40, 315.
- Rhynchopsitta pachyryncha*, 368.
- Rhyncocyclus brevirostris*, 300.
cinereiceps, 300.
- Rich, Walter H., notice of his
'Feathered Game of the North-
east,' 459.
- Ridgway, Robert, *Cinclus mexi-
canus* not a Costa Rican Bird, 105;
notice of his 'Birds of North and
Middle America,' Part IV, 450.
- Riparia riparia*, 82, 433.
- Rissa tridactyla*, 337, 435.
- Roberts, Thomas S., a Lapland
Longspur tragedy: being an
account of a great destruction of
these birds during a storm in
southwestern Minnesota and
northwestern Iowa in March,
1904, 369-376, 449.
- Robin, American, 14, 25, 52, 58,
86, 108, 110, 178, 285, 412.
- Rough-leg, Ferruginous, 243, 264,
411, 429.
- Ruby-throat, Siberian, 278.
- Rupornis ruficauda, 290.
- Ruthven, Alexander G., another
specimen of Cory's Bittern, 338.
- SAGE, John H., Twenty-fourth Con-
gress of the American Ornitholo-
gist's Union, 89-94.
- Salpinctes obsoletus*, 244.
- Saltator albicollis*, 287.
magnoides intermedius, 288,
311.
magnoides medianus, 312.
striatipectus isthmicus, 312.
- Salvin, Osbert, and F. DuCane God-
man, notice of the 'Aves' of
their 'Biologia Centrali-Ameri-
cana,' 350-352.
- Sanderling, 426.
- Sandpiper, Baird's, 94, 253, 425.

- Sandpiper, Bartramian, 254, 409, 427.
 Buff-breasted, 437.
 Least, 253, 291, 425.
 Purple, 435.
 Pectoral, 253, 425.
 Semipalmated, 253, 291, 415, 426.
 Solitary, 254, 426, 432.
 Spotted, 16, 49, 254, 291, 413, 415, 416, 427, 432.
 Stilt, 213, 339, 437.
 Western, 291.
 Western Solitary, 426.
 White-rumped, 140, 339, 425.
 Sapsucker, Yellow-bellied, 50, 76, 108, 110.
 Saucerottea niveoventer, 295.
 sophiæ, 295.
 Saunders, W. A., a migration disaster in Western Ontario, 108.
 Sayornis, 196.
 nigricans, 196.
 phœbe, 18, 77, 433.
 saya, 244, 391.
 Schiebel, Phil. Guido, notice of his 'Die Phylogenese der Lanius Arten,' 230.
 Sclerurus guatemalensis, 299.
 Scolecophagus carolinus, 400.
 cyanocephalus, 400.
 Scolopax gallinago, 191.
 limosa, 198.
 Scoter, Black, 321.
 Surf, 321.
 White-winged, 139, 321, 417, 423.
 Scotiaptex nebulosa, 74, 215.
 Scotothorus verëpaci dumicola, 303.
 Seed-eater, Rio Grande, 26-30.
 Seiurus aurocapillus, 24, 52, 84, 306, 329.
 motacilla, 24, 84, 328, 434.
 noveboracensis, 52, 84, 225, 306, 330, 446.
 Selasphorus alleni, 313.
 floresii, 313.
 platycercus, 313.
 rufus, 312, 313.
 Serrator, 194.
 Setophaga ruticilla, 24, 52, 85, 329, 434.
 Shoveller, 138, 249, 282, 414, 417, 422.
 Shrike, Loggerhead, 14, 174, 179.
 Migrant, 82, 434.
 Northern, 82, 128, 243.
 Shufeldt, R. W., notice of his 'On the Osteology of the Tubinares,' 365.
 Sialia sialis, 25, 52, 285, 435.
 Simorhynchus, 190.
 Siskin, Pine, 126, 159, 181, 405.
 Sitta canadensis, 25, 147, 328, 381.
 carolinensis, 25, 159, 435.
 carolinensis aculeata, 245.
 pusilla, 25, 349, 447.
 Skimmer, Black, 40, 315.
 Smyth, Ellison A., Jr., the Goshawk in Montgomery Co., Virginia, 214;
 Snipe, Wilson's, 253, 425.
 Snow, J. H., ten birds new to the avifauna of Kansas, 344.
 Snowflake, 80, 107, 127, 405.
 Snyder, W. E., late occurrence of the King Rail (*Rallus elegans*) in Wisconsin, 212.
 Solitaire, Townsend's, 245.
 Somateria dresseri, 250.
 Sora, 424.
 Sparrow, Bachman's, 20, 349.
 Chipping, 20, 51, 81, 180, 181, 245.
 Clay-colored, 410, 412.
 English, 20, 52, 129-134, 243, 341, 404.
 Field, 20, 81, 174, 180, 431, 433.
 Fox, 81, 108, 110, 181, 284.
 Grasshopper, 80, 174, 433.
 House, 80.

- Sparrow, Ipswich, 101.
Lark, 20, 80, 174.
Leconte's, 80.
Lincoln's, 21, 81, 110, 224, 341.
Louisiana Seaside, 172, 174.
Macgillivray's, 102.
Nelson's, 80.
Savanna, 80, 97, 110, 145, 178, 181, 340.
Song, 51, 81, 108, 146, 181, 284, 412.
Swamp, 8, 11, 21, 81, 108, 110, 178, 181, 284.
Tree, 81, 108, 110, 384.
Vesper, 20, 51, 80, 181, 220, 409, 410, 442.
Western Lark, 242.
Western Savanna, 416.
White-crowned, 51, 80, 108, 110, 181, 413.
White-throated, 20, 51, 80, 102, 108, 110, 128, 178, 181, 284, 442.
Spatula clypeata, 138, 249, 282, 422.
Speotyto cunicularia hypogæa, 269.
Spermophila albigularis, 26.
 morelleti, 26.
 parva, 26.
Sphyrapicus varius, 50, 76.
Spinney, Hubert L., the Stilt Sandpiper,— a correction, 213.
Spinus pinus, 107, 126, 159, 405.
Spiza americana, 309, 433.
Spizella monticola, 81, 284.
 pusilla, 20, 81, 433.
 socialis, 20, 51, 81, 107.
 socialis arizonæ, 107.
Spodesilaura, 193.
Sporophila aurita, 311.
 gutturalis, 288, 311.
 morelleti, 26.
 morelleti morelleti, 311.
 morelleti sharpei, 26-30.
Sprigtail, 320.
Squatarola squatarola, 427.
Steganopus tricolor, 140, 253, 424.
Stelgidopteryx ruficollis uropygialis, 305.
 serripennis, 21, 82, 103, 104, 221.
Stellula calliope, 390.
Sterna antillarum, 137, 315.
 caspia, 137, 224, 232, 315.
 forsteri, 137, 315, 420.
 fuliginosa, 315.
 hirundinacea, 455.
 hirundo, 40, 420.
 macrura, 454.
 maxima, 315.
 paradisæa, 454.
 sandwichensis acutiflida, 315.
Stiles, Charles Wardell, on rules of nomenclature, 464.
Stolzmann, Jean, see Berlepsch, Hans Graf von.
Stone, Witmer, some changes in the current generic names of North American birds, 189-199.
Streptoprocne zonaris zonaris, 295.
Strix passerinum, 192.
 pratincola, 74, 214.
Sturnella magna, 78, 284, 433.
 magna argutula, 19.
 magna neglecta, 398.
Sturnus roseus, 194.
Sula, 194.
 bassana, 316.
 sula, 316.
Surnia ulula caparoch, 75, 110, 219.
 ulula doliata, 280.
Swales, B. H., and P. A. Taverner, recent ornithological developments in southeastern Michigan, 135-148.
Swallow, Bank, 82, 433.
 Barn, 21, 51, 82, 177.
 Cliff, 51, 82, 433.
 Rough-winged, 21, 82, 103, 104, 174, 221.
 Tree, 21, 51, 82, 176, 181.

- Swan, Trumpeter, 251, 321.
 Whistling, 139, 212, 321, 337, 423.
- Swenk, Myron H., two interesting Nebraska records, 223.
- Swift, Chimney, 18, 50, 76, 174, 180, 433.
 White-throated, 390.
- Symphemia semipalmata inornata, 254, 426.
- Synallaxis albescens, 287, 299.
 albescens albigularis, 299.
 albescens *latitabunda*, 288, 298.
 pudica, 299.
- Syrnium varium, 17, 74, 284, 432.
- TACHYBAPTUS, 190.
- Tachyphonus nitidissima, 309.
- Tanager, Scarlet, 21, 81, 103, 176, 177, 181, 433.
 Summer, 21, 81, 174, 175, 180.
- Tanagra cana, 309.
 cyanea, 199.
- Tatler, Wandering, 340.
- Taverner, P. A., see Swales, B. H.
- Teal, Blue-winged, 154, 248, 289, 414, 417, 421.
 Cinnamon, 154-157, 158, 417, 421, 435.
 European, 94.
 Green-winged, 248, 417, 421.
 Red-breasted, 154-157.
- Telmatodytes palustris, 4, 11, 85.
- Terenotriccus fulvularis, 302.
- Tern, Arctic, 454.
 Black, 211, 247, 315, 420.
 Cabot's, 315.
 Caspian, 137, 224, 233, 315.
 Common, 40, 413, 414, 420.
 Forster's, 137, 315, 414, 420.
 Gull-billed, 137, 315.
 Least, 137, 315.
 Noddy, 315.
 Royal, 315.
 Sooty, 315.
- Tetrao, 199.
 Tetrao cupido, 198.
 tetricus, 199.
 umbellus, 198.
- Thalassœcus antarctica.
- Thallosaëtus pelagicus, 280.
- Thalurania colombica venusta, 296.
- Thamnophilus bridgesi, 296.
 doliatus, 296.
 transandeanus, 296.
- Thayer, Abbott H., protective coloration, 460.
- Thayer, John E., the Whistling Swan at Martha's Vineyard, Mass., 212; the Barn Owl in Massachusetts, 214; the Northern Water-Thrush again nesting in Massachusetts, 446.
- Thayer, John E., and Outram Bangs, notice of their 'Breeding Birds of the Sierra de Antonez, North Central Sonora,' 114; another hybrid Hummingbird — *Selasphorus rufus* + *Atthis caliope*, 312, 313.
- Thrasher, Brown, 24, 85, 175, 178, 180.
 Sage, 344.
- Threnetes ruckeri, 295.
- Thrush, Alma's, 413.
 Bicknell's, 88.
 Dwarf Hermit, 344.
 Gray-cheeked, 25, 86, 176.
 Hermit, 25, 86, 109, 110, 178, 188, 226.
 Olive-backed, 25, 86, 176, 178, 181.
 Song, 116.
 Willow, 88, 412.
 Wilson's, 25, 52, 86, 176, 181, 189.
 Wood, 25, 47, 86, 175, 180, 189, 435.
- Thryomanes bewickii, 25, 149-153, 285.
- Thryophilus modestus modestus, 305.

- Thryophilus pleurostictus albus*, 305.
 rufalbus castanonotus, 305.
 semibadius, 305.
Thryothorus ludovicianus, 25, 105, 147, 285, 435.
Tinamus castaneiceps, 290.
Tisa, 453.
Titmouse, Tufted, 25, 170, 172, 173, 174, 178, 285, 431, 435.
Tityra albitorques fraserii, 303.
 semifasciatus costaricensis, 300.
Todirostrum cinereum finitimum, 300.
 schistaceiceps, 300.
Tomineio Mariana Virescens Gut-ture flammeo, 448.
Totanus flavipes, 95, 254, 426.
 melanoleucus, 95, 254, 426.
Towhee, 21, 81, 173, 174, 285, 433.
 Arctic, 412,
 Green-tailed, 344.
 Spurred, 344.
Townsend, Charles W., notice of his 'Along the Labrador Coast,' 452.
Townsend, Charles W., and *Glover M. Allen*, notice of their 'Birds of Labrador,' 451.
Toxostoma rufum, 24, 85.
Trichas brachidaetyla, 33.
Tringa fulicaria, 196.
 lobata, 196.
Tringoides, 198.
 macularius, 291.
Trochilus alexandri, 313.
 colubris, 18, 50, 390, 433, 448.
 violajugulum, 313.
Troglodites, 194.
Troglodytes ædon, 25, 52, 85.
 intermedius, 304.
 musculus inquietus, 288, 304.
Trogon, 192.
 atricollis tenellus, 294.
 bairdi, 294.
 caligatus caligatus, 294.
 massena, 294.
 melanocephalus, 294.
Tryngites subruficollis, 437.
Turdus felivox, 193.
 fuscescens, 52, 56.
 jamaicensis, 194.
 lerebouleti, 194.
 minor, 56.
 trichas, 33.
Turkey, Wild, 58, 87, 174, 180, 283.
Turnstone, Ruddy, 141.
Tympanuchus, 198.
 americanus, 87.
Tyranniscus parvus, 301.
Tyrannula mexicana, 219.
 minima, 61.
 pusilla, 62.
 richardsonii, 62.
 saya, 196.
Tyrannus melancholicus satrapa, 302.
 tyrannus, 18, 50, 390, 433.
 tyrannus tyrannus, 302.
 verticalis, 391.
URIA lomvia, 364.
Urubitinga, 195.
VENILORNIS neglectus, 293.
Vermivora, 193.
Violon, 320.
Vireo flavifrons, 22, 328.
 gilvus, 83, 328.
 gilvus swainsoni, 344.
 noveboracensis, 22, 159, 434.
 olivaceus, 22, 83, 328, 434.
 philadelphicus, 22, 83, 104, 328.
 solitarius, 51, 83, 159, 329.
Vireo, Blue-headed, 51, 83, 108, 110, 159, 178, 181, 329.
 Philadelphia, 22, 83, 104, 328.
 Red-eyed, 22, 83, 108, 110, 170, 171, 174, 175, 180, 328, 434.
 Solitary, 238.
 Swainson's, 344.

- Vireo, Warbling, 83, 174, 180, 328.
 White-eyed, 22, 159, 170, 172,
 173, 174, 175, 180, 434.
 Yellow-throated, 22, 83, 174,
 177, 181, 328.
 Vireosylva flavoviridis flavoviridis,
 305.
 philadelphia, 305.
 Volatinia jacarini splendens, 311.
 Vultur papa, 198.
 Vulture, Black, 17, 174.
 Turkey, 17, 72, 174, 259, 283,
 428, 432.
- WAGTAIL, Kamchatkan, 280.
 Warbler, Audubon's, 413.
 Bachman's, 41-48, 159, 348,
 378.
 Bay-breasted, 23, 84, 176,
 178, 330, 331.
 Black-and-White, 22, 51, 83,
 176, 177, 178, 329, 331, 434.
 Blackburnian, 23, 52, 84, 176,
 178, 181, 330, 331.
 Black-poll, 23, 84, 146, 325
 330, 331, 380.
 Black-throated Blue, 23, 52, 83,
 108, 110, 322, 325, 330, 331.
 Black-throated Green, 23, 25,
 84, 108, 176, 177, 178, 181,
 330, 331.
 Blue-winged, 22, 176, 224, 325,
 328.
 Brewster's, 343, 348, 444.
 Canadian, 24, 51, 84, 330, 331.
 Cape May, 22, 52, 83, 330, 331,
 380, 446.
 Cerulean, 84, 176, 181, 225,
 329, 331, 434.
 Chestnut-sided, 23, 84, 176,
 177, 178, 181, 329, 331.
 Connecticut, 85, 105, 222, 225,
 330, 331.
 Golden-winged, 88, 176, 224,
 329, 331.
- Warbler, Hooded, 24, 47, 88, 170,
 172, 174, 175, 176, 178, 180,
 434.
 Kentucky, 24, 170, 172, 175,
 180, 328, 344-346, 434.
 Kirtland's, 84.
 Lawrence's, 342, 343.
 Macgillivray's, 344, 413.
 Magnolia, 23, 52, 84, 176, 178,
 330, 331.
 Mourning, 84, 322, 328.
 Myrtle, 23, 83, 108, 178, 285,
 322, 330, 331.
 Nashville, 51, 83, 320, 329, 331.
 Northern Parula, 83.
 Orange-crowned, 83, 178, 181,
 328, 413.
 Palm, 23, 84, 108, 178, 181,
 225, 330, 331.
 Parula, 47, 51, 170, 171, 172,
 174, 175, 176, 178, 180.
 Pine, 23, 52, 84, 179, 225, 348.
 Prairie, 14, 24, 84, 181, 188.
 Prothonotary, 47, 88, 170, 171,
 172, 174, 175, 178, 180, 342,
 434.
 Rocky Mountain Orange-
 crowned, 379.
 Swainson's, 45, 47, 172, 174,
 180.
 Sycamore, 170, 171, 172, 174,
 175.
 Tennessee, 83, 176, 177, 178,
 322, 329, 331, 348.
 Virginia's, 344.
 Western Parula, 22, 329, 331
 434.
 Wilson's, 84, 328.
 Worm-eating, 22, 177.
 Yellow, 23, 52, 83, 174, 176,
 178, 326, 329, 331, 412, 434.
- Warbler, The, notice of, 239.
 Ward, Henry L., notice of his
 'Notes on the Herring Gull and
 Caspian Tern,' 233.

- Water-Thrush, 52, 84, 175, 178, 225, 330, 331.
Louisiana, 84, 328, 434.
Northern, 446.
- Waxwing, Bohemian, 82, 107, 128, 223, 245.
Cedar, 22, 51, 82, 246, 285.
- Wayne, Arthur T., the nest and eggs of Bachman's Warbler, *Helminthophila bachmani* (Aud.), taken near Charleston, South Carolina, 43-48; another Limpkin (*Aramus giganteus*) in South Carolina, 95; the Yellow-headed Blackbird (*Xanthocephalus xanthocephalus*) in Georgia, 100; an early date for the arrival of the Ipswich Sparrow (*Passerculus princeps*) on the coast of South Carolina, 101; Macgillivray's Seaside Sparrow (*Ammodramus martimus macgillivrayii*) with fourteen rectrices, 102; the Philadelphia Vireo (*Vireo philadelphicus*) in Georgia, 104; observations on some birds procured near Charleston South Carolina, 377-381; a correction, 446.
- Weber, J. A., the Buff-breasted Sandpiper (*Tryngites subruficollis*) on Long Island, 437; the Vesper Sparrow (*Poæcetes gramineus*) on Long Island, N. Y., in winter, 442.
- Whip-poor-will, 14, 18, 76.
- Willet, 413.
Western, 254, 415-426.
- Williams, R. W., Jr., additional notes on the birds of Leon County, Florida, 158, 159; *Loxia curvirostra minor* in Florida, 220; notice of his 'Game Commissions and Wardens,' 457.
- Wilsonia canadensis, 24, 85, 330, 361.
mitrata, 24, 88, 434.
pusilla, 85, 328.
- Wood, J. Claire, Short-eared Owl and Savanna Sparrow breeding in Wayne County, Michigan, 97; the Pigeon Hawk in Wayne Co., Michigan, 214; autumn records of Golden Plover and Lapland Longspur in Wayne Co., Michigan, 223; autumn Warbler migration, 322-331; the White-rumped Sandpiper in Michigan, 339.
- Wood, Nelson R., a White-throated Sparrow in Washington, D. C., in August, 442.
- Wood, Norman A., notice of his 'Twenty-five Years of Bird Migration at Ann Arbor, Michigan,' 231; the breeding of the Short-eared Owl (*Asio accipitrinus*) near Ann Arbor, Michigan, 439.
- Woodcock, American, 339.
- Woodpecker, American Three-toed, 50, 68.
Arctic Three-toed, 50, 76.
Batchelder's, 243, 270.
Downy, 18, 50, 75, 174, 284.
Hairy, 50, 75, 170, 243, 270, 284, 432.
Northern Downy, 432.
Northern Pileated, 76, 432.
Pileated, 18, 50, 170, 174, 270.
Red-bellied, 18, 76, 170, 174, 270, 433.
Red-cockaded, 14, 18, 179, 349.
Red-headed, 18, 76, 174, 270, 433.
Southern Hairy, 17, 170, 174.
Yellow-bellied, 76.
- Woodruff, E. Semour, some interesting records from southern Missouri, 348.
- Woodruff, Frank M., rare northern birds near Chicago, Ill., 107; malformed bill of Rose-breasted Grosbeak, 220; notice of his 'The Birds of the Chicago Area,' 363.

- Wren, Bewick's, 25, 149-153, 178, 285.
 Carolina, 25, 105, 147, 170, 172, 173, 174, 285, 435, 446.
 House, 25, 52, 85, 178.
 Long-billed Marsh, 4, 11, 52, 85, 172, 174, 178, 180.
 Rock, 244.
 Short-billed Marsh, 85, 178.
 Texan Bewick, 153.
 Western House, 411.
 Winter, 85, 109, 110, 178.
 Wright, Horace W., the Carolina Wren in Middlesex Fells, Mass., 105; a Kentucky Warbler near Boston, Mass., 344.
- XANTHOCEPHALUS xanthocephalus, 78, 100, 397.
- Xanthomyias, 360.
 Xema sabinii, 247.
- YELLOW-LEGS, 254, 426.
 Greater, 254, 426.
 Yellowthroat, Florida, 172, 174, 180.
 Maryland, 32, 448.
 Northern, 24, 33, 85, 329, 331, 412, 431, 434.
 Southern, 33.
- ZAMELODIA ludoviciana, 21, 81, 220, 442.
 Zenaidura macroura, 17, 72, 259, 283, 428, 432.
 Zonotrichia albicollis, 20, 51, 80, 102, 128, 285, 442.
 leucophrys, 51, 80.

ERRATA.

- Page 17, line 31, for **Haliaëtus** read **Haliaetus**.
 " 111, " 14, for *leucurus* read *leucura*.
 " 133, " 24, for one grain of read one eighth ounce of.
 " 269, " 25, for **Glaucidium** read **Glaucidium**.
 " 328, " 22, for *pusilia* read *pusilla*.
 " 338, " 34, for *cærula* read *cærulea*.
 " 365, " 15, for June 8, 1907, read June 7, 1907.
 " 433, " 31, for **Coturniculus sandwichensis passerinus** read **Coturniculus savannarum passerinus**.
- On map of Dawson Co., Montana (facing p. 244) for Scale, 12 miles = 1 inch read Scale, 18 miles = 1 inch.
 On map of Custer Co., Montana (facing p. 244) for Scale, 12 miles = 1 inch read 19.4 miles = 1 inch.